

Description

Right-angle GigE Vision camera, Ex-view sensor, 119 fps



The GS660 is a fast, VGA resolution, high-performance machine vision camera with Gigabit Ethernet interface (GigE Vision®). The GS660 incorporates a Sony ExView HAD CCD sensor that has particularly high quantum efficiency and excellent NIR response for excellent image quality and sensitivity.

- Sony ICX618 ExView HAD sensor
- 119 fps at 659x493
- 5.6 x 5.6 um pixel size
- **Models**
 - GS660, 659x493, 119 fps, CCD, Mono
 - GS660C, 659x493, 119 fps, CCD, Color
- **Modular Options:**
 - White Medical enclosure
 - CS Lens Mount (Factory conversion)
 - IRC Filter on Monochrome cameras (Factory installation)

Specifications

Prosilica GS		660
Interface	IEEE 802.3 1000baseT	
Resolution	659 x 493	
Sensor	Sony ICX618	
Type	CCD Progressive	
Sensor Size	Type 1/4	
Cell size	5.6 μm	
Lens mount	C/CS	
Max frame rate at full resolution	119 fps	
A/D	14 bit	
On-board FIFO	16 MB	
Output		
Bit depth	8/12 bit	
Mono modes	Mono8, Mono12Packed, Mono16	
Color modes YUV	YUV411, YUV422, YUV444	
Color modes RGB	RGB24, BGR24, RGBA24, BGRA24	
Raw modes	Bayer8, Bayer12Packed, Bayer16	
General purpose inputs/outputs (GPIOs)		
TTL I/Os	1 input, 1 output	
Opto-coupled I/Os	1 input, 1 output	
RS-232	1	
Power/Mass/Dimensions/Regulations		
Power requirements (DC)	5V - 25V	
Power consumption (12 V)	3W	
Mass	184 g	
Body Dimensions (L x W x H in mm)	96x56x26 including connectors, w/o tripod and lens	
Regulations	CE, FCC, Class A, RoHS	

[Download Prosilica GS660 technical drawing \(click here\)](#)



Smart features

The GS660 features include:

- Auto Exposure
- Auto Gain
- Auto White balance
- Flexible Binning
- Region of Interest readout (AOI partial scan)
- StreamBytesPerSecond (easy bandwidth control)
- Stream hold
- Asynchronous external trigger and sync I/O
- Global shutter (digital shutter)
- Recorder and Multiframe Acquisition Modes

Applications

The GS660 is ideal for a wide range of applications including:

- machine vision
- industrial inspection
- public security
- traffic monitoring
- microscopy